

## IN THE UNITED STATE'S PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Anatol Rabinkin, et al.

Application No.: 10/725,265

Confirmation No.: 4063

Filed: December 2, 2003

U.S. Patent No.: 6,883,701

For:

Issued: April 26, 2005

IRON-CHROMIUM BASE BRAZING FILLER METALS

ATTENTION

CERTIFICATE OF CORRECTION

**BRANCH** 

Batch No.:

Certificate

OCT 1 9 2005

of Correction

## REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents PO Box 1450 Alexandria, VA 22313-1450

Sir:

Patentees respectfully request that a Certificate of Correction be issued in the subject patent, pursuant to 35 U.S.C. §254 and 37 C.F.R. §1.322, to correct the mistake shown on the attached Form PTO-1050.

Since the mistake is a Patent Office mistake, it is believed that no fee is required.

Respectfully submitted,

STAAS & HALSEY LLP

otder 20

By:

David M. Pitcher

Registration No. 25,908

1201 New York Ave, N.W., Suite 700

Washington, D.C. 20005 Telephone: (202) 434-1500

Facsimile: (202) 434-1501

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO: 6,883,701 / 2

DATED: April 26, 2005

INVENTOR(S): Anatol Rabinkin, et al.

Column 14,

line 47, (claim 16, line 13) before "and" insert —the sum "g" + "h" ranges from about 18 to 25,—.

MAILING ADDRESS OF SENDER: STAAS & HALSEY LLP 1201 New York Ave., N.W. Suite 700 Washington, DC 20005

PATENT NO. 6,883,701

No. of add'l copies @ 50¢ per page Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO: 6,883,701 /32

**DATED**: April 26, 2005

INVENTOR(S): Anatol Rabinkin, et al.

Column 14,

line 47, (claim 16, line 13) before "and" insert –the sum "g" + "h" ranges from about 18 to 25,–.

MAILING ADDRESS OF SENDER: STAAS & HALSEY LLP 1201 New York Ave., N.W. Suite 700 Washington, DC 20005 PATENT NO. 6,883,701

No. of add'l copies @ 50¢ per page